

综述

视觉注意的时间结构和动态神经机制

1, 2, 3, 4, *

1, 2, 3, 4

1, 2, 3, *

1

²IDG/

4

3

100871

摘要

(1) (4) () (2) (3)

关键词

中图分类号 Q427

JIA Jian-Rong^{1, 2, 3, 4, *}, FANG Fang^{1, 2, 3, 4}, LUO Huan^{1, 2, 3, *}

¹School of Psychological and Cognitive Sciences and Beijing Key Laboratory of Behavior and Mental Health; ²PKU-IDG/McGovern Institute for Brain Research; ³Key Laboratory of Machine Perception (Ministry of Education); ⁴Peking-Tsinghua Center for Life Sciences, Peking University, Beijing 100871, China

Attention shapes what we see and what we act upon by allocating limited resources to certain parts of visual display in a selective and adaptive manner. While most previous studies in visual attention mainly focused on the attentional distribution over space or features, recent studies have revealed that temporal dynamics also plays a crucial function in visual attention. This paper reviews the representation, function and neural mechanism of temporal dynamics in visual attention from the following four aspects: (1) Tracking dynamic structure of external stimulus by attention; (2) Intrinsic dynamic characteristics of attention; (3) Time-based multiple object representation; (4) Relationship between visual dynamics and classical attentional phenomena. We propose that the dynamic structure and temporal organization are fundamental to visual attention, and the research on it might provide new solutions to many unresolved issues in visual attention research.

visual attention; temporal structure; temporal organization; neuronal oscillation; behavioral oscillation; multiple object attention

Received 2018-05-08 Accepted 2018-07-12

Research from the corresponding authors' laboratory was supported by the National Natural Science Foundation of China (No. 31522027, 31571115).

*Co-corresponding authors. JIA Jian-Rong: Tel: +86-10-62766975; E-mail: jiajr@pku.edu.cn. LUO Huan: Tel: +86-10-62766975; E-mail: huan.luo@pku.edu.cn

[1, 2]

注意的时间动态特性

动态注意理论

DAT

[12] DAT

[3] Posner [4]

[5] Eriksen [6]

) ([12, 15] Hickok [16]

Müller [7]

(steady state visual evoked potential, SSVEP)

McMains [8]

[17]

(

)

[9]

(biased competition model)
normalization model)^[10,11]

(nor-

[12–14]

)

Lakatos [22]

[13] Busch [25]

EEG

Busch [26]

7 Hz
7 Hz

[14]

[27] (transcra-
nial magnetic stimulation, TMS) [28] [29]

5~15 Hz
7 Hz 11 Hz [30]

[23]

[13]

“ ”

“ ”

(
)

注意的内秉动态特性

[31]

VanRullen [24]

[32] Wutz [32]

4 Hz

6~10 Hz

180° Landau

(

)

Fiebelkorn [35]

基于时间动态的多物体加工

[36]

300~1 100 ms

()

- 10 ms

8 Hz

[14, 33]

4 Hz

基于时间的多物体加工的行为证据 “行为振荡”

(

Song [37]

)

(“ ”)

Landau [34]

SOA

(reaction

time)

-

400 ms

750 ms

(“ ”)

(

1 000 ms

16.7 ms

105

”)

(stimulus onset asynchrony, SOA)

60 Hz



“**自上而下**”和“**自下而上**”注意
“ ”

Jia

Winner-Take-All

200~300 ms

基于时间的多物体加工和经典注意现象的关系

视觉搜索

Buschman [50]

[51]

Dugué [52] ()

6 Hz

6 Hz (

)
TMS

6 Hz

6 Hz

6 Hz
Dugué [53]

7 Hz

500 ms

“ ”

5 Hz

[58]

GABA

Kienitz [59] V4

3~6 Hz

结语

参考文献

- 1 Ester EF, Fukuda K, May LM, Vogel EK, Awh E. Evidence for a fixed capacity limit in attending multiple locations. *Cogn Affect Behav Neurosci* 2014; 14(1): 62–77.

“ ”

()
()
200~

- 9 Jans B, Peters JC, De Weerd P. Visual spatial attention to multiple locations at once: The jury is still out. *Psychol Rev* 2010; 117(2): 637–682.
- 10 Desimone R, Duncan J. Neural mechanisms of selective visual attention. *Annu Rev Neurosci* 1995; 18: 193–222.
- 11 Reynolds JH, Heeger DJ. The normalization model of attention. *Neuron* 2009; 61: 168–185.
- 12 Large EW, Jones MR. The dynamics of attending: How people track time-varying events. *Psychol Rev* 1999; 106(1): 119–159.
- 13 VanRullen R. Perceptual cycles. *Trends Cogn Sci* 2016; 20(10): 723–735.
- 14 Schroeder CE, Lakatos P. Low-frequency neuronal oscillations as instruments of sensory selection. *Trends Neurosci* 2009; 32(1): 9–18.
- 15 Jones MR, Boltz M. Dynamic attending and responses to time. *Psychol Rev* 1989; 96(3): 459–491.
- 16 Hickok G, Farahbod H, Saberi K. The rhythm of perception: entrainment to acoustic rhythms induces subsequent percep-

- sensitivity and decision criteria oscillate at different frequencies separately for the two ears. *Curr Biol* 2017; 27(23): 3643–3649.e3.
- 43 Wang Y, Luo H. Behavioral oscillation in face priming: Prediction about face identity is updated at a theta-band rhythm. *Prog Brain Res* 2017; 236: 211–224.
- 44 Irwin D, Gordon R. Eye movements, attention and trans-saccadic memory. *Vis Cogn* 1998; 5(1–2): 127–155.
- 45 VanRullen R. Visual attention: A rhythmic process? *Curr Biol* 2013; 23(24): R1110–R1112.
- 46 VanRullen R, Carlson T, Cavanagh P. The blinking spotlight of attention. *Proc Natl Acad Sci U S A* 2007; 104(49): 19204–19209.
- 47 Landau AN, Schreyer HM, van Pelt S, Fries P. Distributed attention is implemented through theta-rhythmic gamma modulation. *Curr Biol* 2015; 25(17): 2332–2337.
- 48 Dugué L, Roberts M, Carrasco M. Attention reorients periodically. *Curr Biol* 2016; 26(12): 1595–1601.
- 49 Jia J, Liu L, Fang F, Luo H. Sequential sampling of visual objects during sustained attention. *PLoS Biol* 2017; 15(6): e2001903.
- 50 Buschman TJ, Miller EK. Serial, covert shifts of attention during visual search are reflected by the frontal eye fields and correlated with population oscillations. *Neuron* 2009; 63(3): 386–396.
- 51 Treisman AM, Gelade G. A feature-integration theory of attention. *Cognit Psychol* 1980; 12: 97–136.
- 52 Dugué L, Marque P, VanRullen R. Theta oscillations modulate attentional search performance periodically. *J Cogn Neurosci* 2015; 27(5): 945–958.
- 53 Dugué L, McLelland D, Lajous M, VanRullen R. Attention searches nonuniformly in space and in time. *Proc Natl Acad Sci U S A* 2015; 112(49): 15214–15219.
- 54 Koch C, Ullman S. Shifts in selective visual attention: towards the underlying neural circuitry. *Hum Neurobiol* 1985; 4(4): 219–227.
- 55 Foulsham T, Underwood G. What can saliency models predict about eye movements? Spatial and sequential aspects of fixations during encoding and recognition. *J Vis* 2008; 8(2): 6.1–17.
- 56 Wang W, Chen C, Wang Y, Jiang T, Fang F, Yao Y. Simulating human saccadic scanpaths on natural images. *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*; Colorado, USA, 2011.
- 57 Klein RM. Inhibition of return. *Trends Cogn Sci* 2000; 4(4): 138–147.
- 58 Rollenhagen JE, Olson CR. Low-frequency oscillations arising from competitive interactions between visual stimuli in macaque inferotemporal cortex. *J Neurophysiol* 2005; 94(5): 3368–3387.
- 59 Kienitz R, Schmiedt JT, Shapcott KA, Kouroupaki K, Saunders RC, Schmid MC. Theta rhythmic neuronal activity and reaction times arising from cortical receptive field interactions during distributed attention. *Curr Biol* 2018; 28(15): 2377–2387.