



$F(1,5) = 2.1, p = 0.16$

0.05

0.01

$F(3,15) = 0.8, p = 0.54$

0.05

0.01

0.001

0.0001

Changes of target misplacement errors

0.05

0.01

0.001

0.0001

0.00001

0.000001

$F(1,5) = 2.1, p = 0.16$

0.05

0.01

0.001

0.0001

0.00001

0.000001

Changes of flanker substitution errors

0.05

0.01

0.001

0.0001

0.00001

0.000001

0.0000001

0.00000001

0.000000001

0.0000000001

0.00000000001

0.000000000001

0.0000000000001

Experiment 2: The accuracy of the

0.05

0.01

0.001

0.0001

0.00001

0.000001

0.0000001

0.00000001

0.000000001

0.0000000001

0.00000000001

0.000000000001

0.0000000000001

0.00000000000001

0.000000000000001

0.0000000000000001

0.00000000000000001

0.000000000000000001

$0.05 \pm 4\%$ ($p = 0.01$)

$0.01 \pm 5\%$ ($p = 0.01$)

0.001

$p = 0.0001$

$0.05 \pm 0\%$ ($p = 0.0001$)

0.001

$0.05 \pm 2\%$ ($p = 0.0001$)

The effects of hole-report training on target recognition and target misplacement errors

0.05

0.01

0.001

0.0001

0.00001

0.000001

0.0000001

0.00000001

0.000000001

0.0000000001

0.00000000001

0.000000000001

0.0000000000001

0.00000000000001

0.000000000000001

0.0000000000000001

0.00000000000000001

0.000000000000000001

0.0000000000000000001

0.00000000000000000001

0.000000000000000000001

0.0000000000000000000001

0.00000000000000000000001

0.000000000000000000000001

0.0000000000000000000000001

0.00000000000000000000000001

0.000000000000000000000000001

0.0000000000000000000000000001

0.00000000000000000000000000001

0.000000000000000000000000000001

0.0000000000000000000000000000001

0.00000000000000000000000000000001

0.000000000000000000000000000000001

0.0000000000000000000000000000000001

0.00000000000000000000000000000000001

0.000000000000000000000000000000000001

0.0000000000000000000000000000000000001

0.00000000000000000000000000000000000001

0.000000000000000000000000000000000000001

0.0000000000000000000000000000000000000001

0.001

0.0001

0.001

0.0001

0.001

0.0001

0.001

0.0001

0.001

0.0001

0.001

0.0001

0.001

0.0001

0.001

0.0001

$F(1,7) = 2.1, p < 0.05$

$F(3,21) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

$F(1,5) = 2.1, p = 0.16$

$F(3,15) = 0.8, p = 0.54$

|

W. S. A. D. &
M. C. S. A. C.
1996

Vision Research, 61, 8

W. S. A. D. &
M. C. S. A. C.
1996

Journal of Vision, 14, 10

W. S. A. D. &
M. C. S. A. C.
1996

W. S. A. D. &
M. C. S. A. C.
1996

Current Biology, 18, 12

W. S. A. D. &
M. C. S. A. C.
1996

PLoS

W. S. A. D. &
M. C. S. A. C.
1996

Journal of Vision, 12, 10